



Manufactured in France

3 temperature cabinet

Large size

**Access Pack** 

3-temperature cabinet, for storing, cooling and chambering of wine

### **Technical Specifications**

Equipment Standard shelf





Sliding shelf 12 bottles

Storage shelf 77 bottles

Equipment **Optional shelves** 





Sliding shelf ACMS2B 12 bottles

Storage shelf 77 bottles





Sliding shelf ACMS2W

AXUH2W 77 bottles





Sliding shelffor tasting 20 bottles

Presentation kit AOPRESAR 32 hottles





22 bottles

Storage shelf **AXBH** 76 bottles



Champagne shelf 10 bottles

Capacity 190 bottles maximum\*

**Temperature**  Default setup temperature: 12°C/53°F (central compartment) and 18°C/64°F (chambering compartment)

-Temperature setting range from 15°C/59°F and 22°C / 71°F for the chambering compartment and between 9°C/48°F and 15°C/59°F for the storage compartment

· Temperature of the cooling compartment induced by that of the storage compartment. Temperature gradient between compartments is 4 to 6°C / 8 to 11°F

Design

· 4 door options: Black glass, Full Glass, Black Piano, Black glass with handle\*\*

· Removable glass finish handle (Full Glass and Black Piano doors only)

·Central lock

·Carbon effect control panel

·Amber screen display

· LED screen with touch-sensitive keys

·Amber interior lighting: 2 Leds (3 lighting options: permanent, on door opening or off)

·Optional ambient light guide, on the control panel

Accessories

·3 sliding shelves & 3 storage shelves 1 EuroCave keyring

**Equipment** 

· 2 glass compartments

·Charcoal filter

· 2 adjustable feet at the front

· Condensate drip tray at the back

Regulation

· Electronic regulation

· Display of the real temperature inside the cabinet

· Display of the temperature of the storage and chambering compartment

· Visual alarms in case of dysfunction (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)

· Automatic defrost

**Technologies** 

**Cold production:** 

Cords:

Static/ R600a compressor CE/US/UK/JA/AU/CH/C6

**Heat production:** 

Resistance

Heat release:

Automatic

Inner material:

**Exterior coating material:** 

HPL panel (Hight pressure laminates)

Insulation type:

Injected polyurethane foam (59mm)

<sup>\*</sup>Traditional Bordeaux format

<sup>\*\*</sup>Door with handle, not reversible



### General features

	Full Glass/ Glass	Black Piano
Empty wine cabinet net weight (kg)	103	96
Equipped cabinet net weight (kg)	117	110
Gross weight packaged (kg)*	133	126
Dimensions H x W x D (mm)	1825 x 680 x 720***	1825 x 680 x 720***
Dimensions packaged (mm)	1950 x 720 x 760	1950 x 720 x 760
Colour	Nero	Nero

<sup>\*\*\*</sup> With separator at the back, without handle

## Energy efficiency & Consumption

Cords	230V-50Hz (R600a)		115V-60Hz (R600a)	
Type of door	Black Piano	Full Glass/ Glass	Black Piano	Full Glass/ Glass
Energy efficiency class	G	G	/	/
Annual energy consumption AEC (Kwh/year)	150	176	172	212
Sound emission (dB(A))	37	37	38	38
Sound emission Class	С	C	/	/
Ambient operating temperature (°C/°F)	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F
Useful volume (litres)	446			

Pure, in a few words...

# Store your wine in optimal conditions.

Specially designed to be multifunctional, Pure offers the ultimate protection for your wine. Maturing, cooling and bringing your wine to room temperature are all possible. Solid or glass doors, a wide choice of interior equipment, configure the cabinet that best that best suits your space.









Manufactured in France

3 temperature cabinet

Large size

**Premium Pack** 



3-temperature cabinet, for storing, cooling and chambering of wine

### **Technical Specifications**

Capacity

**Temperature** 

• Default setup temperature: 12°C/54°F (central compartment) and 18°C/64°F (chambering compartment)

•Temperature setting range from 15°C/59°F and 22°C / 72°F for the chambering compartment and between 9°C/48°F and 15°C/59°F for the storage compartment

· Temperature of the cooling compartment induced by that of the storage compartment. Temperature gradient between compartments is 4 to 6°C / 8 to 11°F

Design

· 4 door options: Black glass, Full Glass, Black Piano, Black glass with handle\*\*

165 bottles maximum\*

Removable glass finish handle (Full Glass and Black Piano doors only)

· Central lock

·Carbon effect control panel

·Amber screen display

·LED screen with touch-sensitive keys

•Amber interior lighting: 2 Leds (3 lighting options: permanent, on door opening or off)

Optional ambient light guide, on the control panel

Accessories

·10 sliding shelves

1 EuroCave keyring

**Equipment** 

·2 glass compartments

· 2 adjustable feet at the front

·Charcoal filter

·Condensate drip tray at the back

Regulation

**Technologies** 

· Electronic regulation

· Display of the real temperature inside the cabinet

Display of the temperature of the storage and chambering compartment

· Visual alarms in case of dysfunction (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)

· Automatic defrost

Static/ R600a compressor

CE/US/UK/JA/AU/CH/C6

Sliding shelf ACMS2W

12 bottles

Sliding shelf ACMS2B

Equipment **Standard shelf** 

Equipment

**Optional shelves** 

Sliding shelf ACMS 12 bouteilles

> Storage shelf AXUH2W 77 bottles

AOPRESAR 32 bottles

Storage shelf

77 bottles



Sliding shelf for tasting ACVH 20 bottles



Champagne shelf ACHH 10 bottles



Presentation shelf ACPH 22 bottles



Storage shell AXBH 76 bottles

Cold production:

Cords:

Heat production: Heat release: Resistance

Automatic

Inner material: Aluminium

Exterior coating material: HPL panel (Hight pressure laminates)
Insulation type: Injected polyurethane foam (59mm)

<sup>\*</sup>Traditional Bordeaux format

<sup>\*\*</sup>Door with handle, not reversible



### General features

	Full Glass/ Glass	Black Piano
Empty wine cabinet net weight (kg)	103	96
Equipped cabinet net weight (kg)	117	110
Gross weight packaged (kg)*	133	126
Dimensions H x W x D (mm)	1825 x 680 x 720***	1825 x 680 x 720***
Dimensions packaged (mm)	1950 x 720 x 760	1950 x 720 x 760
Colour	Nero	Nero

<sup>\*\*\*</sup> With separator at the back, without handle

## Energy efficiency & Consumption

Cords	230V-50Hz (R600a)		115V-60Hz (R600a)	
Type of door	Black Piano	Full Glass/ Glass	Black Piano	Full Glass/ Glass
Energy efficiency class	G	G	/	/
Annual energy consumption AEC (Kwh/year)	150	176	172	212
Sound emission (dB(A))	37	37	38	38
Sound emission Class	С	С	/	/
Ambient operating temperature (°C/°F)	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°
Useful volume (litres)	446			

Pure, in a few words...

# Store your wine in optimal conditions.

Specially designed to be multifunctional, Pure offers the ultimate protection for your wine. Maturing, cooling and bringing your wine to room temperature are all possible. Solid or glass doors, a wide choice of interior equipment, configure the cabinet that best that best suits your space.



