



Manufactured in France

Multi-temperature cabinet

Access Pack



Multi-temperature cabinet, for serving wine

Technical Specifications

Equipment Standard shelf





Sliding shelf 12 bottles

Storage shelf 77 hottles

Equipment





Sliding shelf ACMS2B 12 bottles



Storage shelf

AXUH2W

77 bottles





Sliding shelf ACMS2W



Sliding shelf for tasting 20 bottles



22 bottles



Presentation kit

AOPRESAR

32 hottles

Storage shelf **AXBH** 76 bottles



Champagne shelf 10 bottles

Capacity 215 bottles maximum*

Temperature

- Default temperature settings, $8^{\circ}\text{C}/46^{\circ}\text{F}$ (for the bottom of the cabinet) and $18^{\circ}\text{C}/64^{\circ}\text{F}$ (for the top of the cabinet)

-Adjustment range from 5°C/41°F to 22°C/72°F (5°C/41°F to 12°C/54°F for the bottom and 15°C/59°F to 22°C/72°F for the top)

Design

 4 door options: Black glass, Full Glass, Black Piano, Black glass with handle**

· Removable glass finish handle (Full Glass and Black Piano doors only)

·Central lock

·Carbon effect control panel

·Amber screen display

·LED screen with touch-sensitive keys

·Amber interior lighting: 2 Leds (3 lighting options: permanent, on door opening or off)

·Optional ambient light guide, on the control panel

Accessories

·3 storage shelves et 3 sliding shelves

1 EuroCave keyring

Equipment

·Charcoal filter (with counter)

· 2 adjustable feet at the front

· Condensate drip tray at the back

Regulation

· Electronic regulation

· Display of the real temperature inside the cellar

· Display of the highest and lowest temperature in the cellar

· Visual alarms in case of dysfunction (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)

· Automatic defrost

Static/ R600a compressor

CE/US/UK/JA/AU/CH/C6

Technologies

Cords:

Heat production:

Cold production:

Heat release: Automatic / Threshold: adjustable

Inner material:

Exterior coating material:

Insulation type:

Aluminium

Resistance

HPL panel (Hight pressure laminates)

Injected polyurethane foam (59mm)

^{*}Traditional Bordeaux format

^{**}Door with handle, not reversible



General features

	- 11.01 (.01	DI 1 2
	Full Glass/ Glass	Black Piano
Empty wine cabinet net weight (kg)	94	87
Equipped cabinet net weight (kg)	125	118
Gross weight packaged (kg)*	141	134
Dimensions H x W x D (mm)	1825 x 680 x 720***	1825 x 680 x 720***
Dimensions packaged (mm)	1950 x 720 x 760	1950 x 720 x 760
Colour	Nero	Nero

^{***} With separator at the back, without handle

Energy efficiency & Consumption

Cords	230V-50Hz (R600a)		115V-60Hz (R600a)		
Type of door	Black Piano	Full Glass/ Glass	Black Piano	Full Glass/ Glass	
Energy efficiency class	F	G	/	/	
Annual energy consumption AEC (Kwh/year)	132	176	172	212	
Sound emission (dB(A))	37	37	38	38	
Sound emission Class	С	С	/	/	
Ambient operating temperature (°C/°F)	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	
Useful volume (litres)	457				

Pure, in a few words...

Store your wine in optimal conditions.

Specially designed to be multifunctional, Pure offers the ultimate protection for your wine. Maturing, cooling and bringing your wine to room temperature are all possible. Solid or glass doors, a wide choice of interior equipment, configure the cabinet that best that best suits your space.









Manufactured in France

Multi-temperature cabinet

· Default temperature settings, 8°C/46°F (for the bottom of the cellar) and 18°C/64°F (for the top of the cabinet)

-Adjustment range from 5°C/41°F to 22°C/72°F (5°C/41°F to 12°C/54°F

Premium Pack



Multi-temperature cabinet, for serving wine

Technical Specifications

Equipment Standard shelf

> **AOPRESAR** 32 bottles

Storage shelf

AXŬH2B

77 bottles

Storage shelf

77 bottles

Champagne shelf

10 bottles

AXBH



Sliding shelf 12 hottles

Equipment **Optional shelves**





Sliding shelf ACMS2B



Sliding shelf ACMS2W 12 bottles



Sliding shelf for tasting 20 bottles



Presentation shelf 22 bottles



Temperature

Capacity

Design

for the bottom and 15°C/59°F to 22°C/72°F for the top)

· 4 door options: Black glass,

182 bottles maximum*

Full Glass, Black Piano, Black glass with handle**

·Removable glass finish handle (Full Glass and Black Piano doors only)

·Central lock

·Carbon effect control panel

·Amber screen display

·LED screen with touch-sensitive keys

·Amber interior lighting: 2 Leds (3 lighting options: permanent, on door opening or off)

·Optional ambient light guide, on the control panel

Accessories

·14 sliding shelves

1 EuroCave keyring

Equipment

·Charcoal filter (with counter)

·2 adjustable feet at the front

· Condensate drip tray at the back

Regulation

· Electronic regulation

· Display of the real temperature inside the cellar

Display of the highest and lowest temperature in the cellar

· Visual alarms in case of dysfunction (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)

· Automatic defrost

Technologies

Cold production:

Static/ R600a compressor Cords: CE/US/UK/IA/AU/CH/C6

Heat production: Resistance

Heat release: Automatic / Threshold: adjustable

Inner material:

Exterior coating material: HPL panel (Hight pressure laminates) Insulation type: Injected polyurethane foam (59mm)

Aluminium

^{*}Traditional Bordeaux format

^{**}Door with handle, not reversible



General features

		_, , _,
	Full Glass/ Glass	Black Piano
Empty wine cabinet net weight (kg)	94	87
Equipped cabinet net weight (kg)	133	127
Gross weight packaged (kg)*	149	143
Dimensions H x W x D (mm)	1825 x 680 x 720***	1825 x 680 x 720***
Dimensions packaged (mm)	1950 x 720 x 760	1950 x 720 x 760
Colour	Nero	Nero

^{***} With separator at the back, without handle

Energy efficiency & Consumption

Cords	230V-50Hz (R600a)		115V-60Hz (R600a)		
Type of door	Black Piano	Full Glass/ Glass	Black Piano	Full Glass/ Glass	
Energy efficiency class	F	G	/	/	
Annual energy consumption AEC (Kwh/year)	132	176	172	212	
Sound emission (dB(A))	37	37	38	38	
Sound emission Class	С	С	/	/	
Ambient operating temperature (°C/°F)	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	
Useful volume (litres)	457				

Pure, in a few words...

Store your wine in optimal conditions.

Specially designed to be multifunctional, Pure offers the ultimate protection for your wine. Maturing, cooling and bringing your wine to room temperature are all possible. Solid or glass doors, a wide choice of interior equipment, configure the cabinet that best that best suits your space.











Equipment Standard shelf

Sliding shelf

12 bottles

Optional shelves

Sliding shelf

12 bottles

Sliding shelf

ACMS2W

Sliding shelf for tasting

20 bottles

Equipment

Manufactured in France Multi-temperature cabinet Large size Presentation Pack



Multi-temperature cabinet, for serving wine

Technical Specifications

Capacity

162 bottles maximum*

Temperature

· Default temperature settings, 8°C/46°F (for the bottom of the cabinet) and 18°C/64°F (for the top of the cabinet)

·Adjustment range from 5°C/41°F to 22°C/72°F (5°C/41°F to 12°C/54°F for the bottom and 15°C/59°F to 22°C/72°F for the top)

Design

· 4 door options: Black glass, Full Glass, Black Piano, Black glass with handle**

·Removable glass finish handle (Full Glass and Black Piano doors only)

·Central lock

·Carbon effect control panel

·Amber screen display

·LED screen with touch-sensitive keys

·Amber interior lighting: 2 Leds (3 lighting options: permanent, on door opening or off)

Optional ambient light guide, on the control panel

Accessories

·9 sliding shelves ACMS

·2 articulated presentation kits

1 EuroCave keyring

Equipment

·Charcoal filter (with counter)

·2 adjustable feet at the front

· Condensate drip tray at the back

Regulation

· Electronic regulation

· Display of the real temperature

inside the cellar

Display of the highest and lowest temperature in the cellar

· Visual alarms in case of dysfunction (open door, sensor fault, temperature alarm, charcoal filter, humidity level alarm)

· Automatic defrost

Technologies

Presentation kit

AOPRESAR

32 bottles

77 bottles

AXUH2W

Storage shelf AXUH 77 bottles

22 bottles

Storage shelf 76 bottles



Champagne shelf 10 bottles

Cold production:

Cords:

Static/ R600a compressor CE/US/UK/IA/AU/CH/C6

Heat production: Resistance

Heat release: Automatic / Threshold: adjustable

Inner material: Aluminium

Exterior coating material: HPL panel (Hight pressure laminates) Insulation type: Injected polyurethane foam (59mm)

^{*}Traditional Bordeaux format

^{**}Door with handle, not reversible



General features

	Full Glass/ Glass	Black Piano
Empty wine cabinet net weight (kg)	94	87
Equipped cabinet net weight (kg)	162	155
Gross weight packaged (kg)*	178	171
Dimensions H x W x D (mm)	1825 x 680 x 720***	1825 x 680 x 720***
Dimensions packaged (mm)	1950 x 720 x 760	1950 x 720 x 760
Colour	Nero	Nero

^{***} With separator at the back, without handle

Energy efficiency & Consumption

Cords	230V-50Hz (R600a)		115V-60Hz (R600a)	
Type of door	Black Piano	Full Glass/ Glass	Black Piano	Full Glass/ Glass
Energy efficiency class	G	G	/	/
Annual energy consumption AEC (Kwh/year)	132	176	172	212
Sound emission (dB(A))	37	37	38	38
Sound emission Class	С	С	/	/
Ambient operating temperature (°C/°F)	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F	12°C/54°F-30°C/86°F
Useful volume (litres)	457			

Pure, in a few words...

Store your wine in optimal conditions.

Specially designed to be multifunctional, Pure offers the ultimate protection for your wine. Maturing, cooling and bringing your wine to room temperature are all possible. Solid or glass doors, a wide choice of interior equipment, configure the cabinet that best that best suits your space.



